

2023 TOW RATINGS

VEHICLE ENGINE TOW LIMIT (LBS)

ACURA

MDX	3.5L V-6	3,500 (t)
MDX SH-AWD	3.5L V-6	5,000 (t)

AUDI

e-tron SUV	Electric	4,000 (t)
Q4 e-tron 40 RWD	Electric	2,200
Q4 e-tron 50 quattro AWD	Electric	2,600
Q5	2.0L I-4 TC	4,400 (t)
SQ5	3.0L V-6 TC	4,400 (t)
Q7	2.0L I-4 TC	4,400 (t)
SQ7	4.0 V-8 TC	7,700 (t)
Q8/SQ8	3.0L V-6 TC	7,700 (t)
RS Q8	4.0L V-8 TC	7,700 (t)

BMW

X1 xDrive28i	2.0L I-4 TC	3,500
X3	All Except M	4,400 (t)
X4	All Except M	4,400
X5 M50i	4.4L V-8 TC	5,900/7,200 (t)
X5 sDrive40i, xDrive40i	3.0L I-6 TC	5,900/7,200 (t)
X5	3.0L I-6 TC PHEV	5,900
X6	All Except M	5,900/7,200 (t)
X7 M60i	4.4L V-8 TC	5,900/7,500 (t)
X7 xDrive40i	3.0L I-6 TC	5,900/7,500 (t)
Alpina XB7	4.4L V-8 TC	5,900

BUICK

Enclave FWD/AWD	3.6L V-6	5,000 (t)
-----------------	----------	-----------

CADILLAC

Escalade 2WD	6.2L V-8	8,200
Escalade 2WD	3.0L I-6 TD	8,100
Escalade 4WD	6.2L V-8	8,000
Escalade 4WD	3.0L I-6 TD	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 2WD	3.0L I-6 TD	7,900
Escalade ESV 4WD	6.2L V-8	7,800
Escalade ESV 4WD	3.0L I-6 TD	7,700
Escalade ESV-V AWD	6.2L V-8	7,000
Lyriq AWD	Electric	3,500 (t)
XT4 AWD	2.0L I-4 TC	3,500 (t)
XT5 FWD/AWD	3.6L V-6	3,500 (t)
XT6 FWD/AWD	3.6L V-6	4,000

CHEVROLET/GMC

Chevrolet Blazer		
Blazer FWD/AWD	2.0L I-4 TC	3,250 (t)
Blazer FWD/AWD	3.6L V-6	5,500 (t)

Chevrolet Colorado/GMC Canyon

Colorado WT, LT	2.7L I-4 TC	3,500
Canyon AT4X Edition 1	2.7L I-4 TC HO	5,500
Colorado Z71, Trail Boss	2.7L I-4 TC HO	7,700
Canyon Elevation, AT4, Denali	2.7L I-4 TC HO	7,700
Colorado ZR2/Canyon AT4X	2.7L I-4 TC HO	6,000

Chevrolet Express/GMC Savana

Express/Savana 2500 SWB CV	4.3L V-6	7,400
Express/Savana 2500 SWB CV	6.6L V-8	10,000
Express/Savana 2500 SWB CV	2.8L I-4 TD	7,000
Express/Savana 2500 LWB CV	4.3L V-6	7,100
Express/Savana 2500 LWB CV	6.6L V-8	10,000
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,100
Express/Savana 2500 SWB PV	4.3L V-6	6,700
Express/Savana 2500 SWB PV	6.6L V-8	9,600

TRANSMISSIONS

a	Automatic transmission
a6	Automatic transmission, 6 speeds
a8	Automatic transmission, 8 speeds
m	Manual transmission

FINAL DRIVE RATIOS

c	3.15:1	i	3.73:1
d	3.21:1	j	3.92:1
f	3.31:1	k	4.10:1
h	3.55:1	l	4.30:1

PACKAGES

p	Payload or other package required
t	Towing package required

CONFIGURATIONS

FWD	Front wheel drive	RWB	Regular wheelbase
AWD	All wheel drive	SWB	Short wheelbase
CC	Crew Cab	LWB	Long wheelbase
Ext	Extended	LR	Low roof
SB	Shortbed (less than 6 feet)	MR	Medium roof
Std Bed	Standard Bed (approximately 6 feet)	HR	High roof
LB	Longbed (8 feet)	DRW	Dual rear wheels
		SRW	Single rear wheels

ENGINES

I-4	Inline four cylinder	TC	Turbocharged
HO	High Output	SC	Supercharged
TD	Turbodiesel		

OTHER

NA	Not applicable, or not available
Forward slash (/)	Either/or
Comma (,)	More than one footnote applies

KEY TO CHARTS

Express/Savana 2500 SWB PV	2.8L I-4 TD	6,300
Express/Savana 3500 SWB CV	4.3L V-6	7,400
Express/Savana 3500 SWB CV	6.6L V-8	10,000
Express/Savana 3500 SWB CV	2.8L I-4 TD	6,200
Express/Savana 3500 LWB CV	4.3L V-6	7,200
Express/Savana 3500 LWB CV	6.6L V-8	10,000
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,000
Express/Savana 3500 SWB PV	4.3L V-6	6,700
Express/Savana 3500 SWB PV	6.6L V-8	9,600
Express/Savana 3500 SWB PV	2.8L I-4 TD	5,700
Express/Savana 3500 LWB PV	4.3L V-6	6,300
Express/Savana 3500 LWB PV	6.6L V-8	9,200
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,300

Chevrolet Traverse/GMC Acadia

Chevy Traverse	3.6L V-6	5,000 (t)
GMC Acadia	2.0L I-4 TC	3,300 (t)
GMC Acadia	3.6L V-6	4,000 (t)

Chevrolet Silverado/GMC Sierra 1500 Regular Cab*

1500 Reg Cab LB 2WD	2.7L I-4 TC	9,500
1500 Reg Cab LB 2WD	5.3L V-8	9,900
1500 Reg Cab LB 4WD	2.7L I-4 TC	9,300
1500 Reg Cab LB 4WD	5.3L V-8	9,700

*Silverado ratings shown. Sierra ratings may vary by 100 pounds or more.

Silverado/Sierra Double Cab*

1500 Double Cab 2WD	2.7L I-4 TC	9,200
1500 Double Cab 2WD	5.3L V-8	9,500
1500 Double Cab 2WD	5.3L V-8	11,200 (t)
1500 Double Cab 2WD	3.0L I-6 TD	9,300
1500 Double Cab 2WD	3.0L I-6 TD	13,300 (t)
1500 Double Cab 4WD	2.7L I-4 TC	9,000
1500 Double Cab 4WD	5.3L V-8	9,300
1500 Double Cab 4WD	5.3L V-8	11,000 (t)
1500 Double Cab 4WD	6.2L V-8	9,200
1500 Double Cab 4WD	6.2L V-8	13,300 (t)
1500 Double Cab 4WD	3.0L I-6 TD	9,000
1500 Double Cab 4WD	3.0L I-6 TD	13,000 (t)

*Silverado ratings shown. Sierra tow ratings may vary by 100 pounds or more.

Silverado/Sierra 1500 Crew Cab, Shortbed*

1500 CC Shortbed 2WD	2.7L I-4 TC	9,200
1500 CC Shortbed 2WD	5.3L V-8	9,500
1500 CC Shortbed 2WD	5.3L V-8	11,200 (t)
1500 CC Shortbed 2WD	3.0L I-6 TD	9,300
1500 CC Shortbed 2WD	3.0L I-6 TD	13,200 (t)
1500 CC Shortbed 4WD	2.7L I-4 TC	9,000
1500 CC Shortbed 4WD	5.3L V-8	9,200
1500 CC Shortbed 4WD	5.3L V-8	11,000 (t)
1500 CC Shortbed 4WD	6.2L V-8	9,100
1500 CC Shortbed 4WD	6.2L V-8	13,200 (t)
1500 CC Shortbed 4WD	3.0L I-6 TD	9,000
1500 CC Shortbed 4WD	3.0L I-6 TD	12,900 (t)

*Silverado ratings shown. Comparable Sierra/Sierra Denali tow ratings may vary by 100 pounds or more.

Silverado/Sierra Crew Cab, Standard Bed*

1500 CC Std Bed 2WD	2.7L I-4 TC	9,200
1500 CC Std Bed 2WD	5.3L V-8	9,400
1500 CC Std Bed 2WD	5.3L V-8	11,000 (t)
1500 CC Std Bed 2WD	3.0L I-6 TD	9,200
1500 CC Std Bed 2WD	3.0L I-6 TD	13,100 (t)
1500 CC Std Bed 4WD	2.7L I-4 TC	8,900
1500 CC Std Bed 4WD	5.3L V-8	9,200
1500 CC Std Bed 4WD	5.3L V-8	10,900 (t)
1500 CC Std Bed 4WD	6.2L V-8	9,000
1500 CC Std Bed 4WD	6.2L V-8	13,100 (t)
1500 CC Std Bed 4WD	3.0L I-6 TD	8,900
1500 CC Std Bed 4WD	3.0L I-6 TD	12,900 (t)

*Silverado ratings shown. Tow ratings for Sierra Denali models may vary by 100 pounds or more.

Silverado/Sierra 2500 Regular Cab Conventional/Fifth-Wheel Towing

2500 Reg Cab LB 2WD	6.6L V-8	14,500/18,700
2500 Reg Cab LB 2WD	6.6L V-8 TD	14,500/22,500 (t)
2500 Reg Cab LB 4WD	6.6L V-8	14,500/18,200
2500 Reg Cab LB 4WD	6.6L V-8 TD	14,500/22,000

Silverado/Sierra 2500 Double Cab Conventional/Fifth-Wheel Towing

2500 DC Std Bed 2WD	6.6L V-8	14,500/16,000
2500 DC Std Bed 2WD	6.6L V-8 TD	14,500/20,000
2500 DC Std Bed 4WD	6.6L V-8	14,500/18,200
2500 DC Std Bed 4WD	6.6L V-8 TD	14,500/17,700
2500 DC LB 2WD	6.6L V-8	14,500/16,000
2500 DC LB 2WD	6.6L V-8 TD	20,000/20,000
2500 DC LB 4WD	6.6L V-8	16,000/16,650
2500 DC LB 4WD	6.6L V-8 TD	17,600/17,750

Silverado/Sierra 2500 Crew Cab Conventional/Fifth-Wheel Towing*

2500 CC Std Bed 2WD	6.6L V-8	16,000/18,500
2500 CC Std Bed 2WD	6.6L V-8 TD	20,000 (t)/21,700 (t)
2500 CC Std Bed 4WD	6.6L V-8	16,000/18,500
2500 CC Std Bed 4WD	6.6L V-8 TD	20,000 (t)/21,600 (t)
2500 CC LB 2WD	6.6L V-8	16,000/18,500
2500 CC LB 2WD	6.6L V-8 TD	20,000 (t)/21,900 (t)
2500 CC LB 4WD	6.6L V-8	16,000/18,500
2500 CC LB 4WD	6.6L V-8 TD	20,000 (t)/21,600 (t)

*Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

Silverado/Sierra 3500 Regular Cab Conventional/Fifth-Wheel Towing

3500 Reg Cab SRW 2WD	6.6L V-8	14,500/19,150
3500 Reg Cab SRW 2WD	6.6L V-8 TDO	14,500/22,500
3500 Reg Cab SRW 4WD	6.6L V-8	14,500/18,800
3500 Reg Cab SRW 4WD	6.6L V-8 TD	14,500/22,150
3500 Reg Cab DRW 2WD	6.6L V-8	18,000/18,800
3500 Reg Cab DRW 2WD	6.6L V-8 TD	20,000/36,000 (t)***
3500 Reg Cab DRW 4WD	6.6L V-8	18,475/18,450
3500 Reg Cab DRW 4WD	6.6L V-8 TD	20,000/31,800

***When equipped with gooseneck hitch. Rating is 32,000 pounds with fifth-wheel hitch.

Silverado/Sierra 3500 Double Cab Conventional/Fifth-Wheel Towing

3500 DC LB SRW 2WD	6.6L V-8	16,000/18,650
3500 DC LB SRW 2WD	6.6L V-8 TD	20,000/21,950
3500 DC LB SRW 4WD	6.6L V-8	14,500/21,600
3500 DC LB SRW 4WD	6.6L V-8 TD	14,500/21,600
3500 DC LB DRW 2WD	6.6L V-8	18,350/18,300
3500 DC LB DRW 2WD	6.6L V-8 TD	20,000/31,600
3500 DC LB DRW 4WD	6.6L V-8	18,000/18,000
3500 DC LB DRW 4WD	6.6L V-8 TD	20,000/31,300

Silverado/Sierra 3500 Crew Cab Conventional/Fifth-Wheel Towing*

3500 CC Std Bed SRW 2WD	6.6L V-8	16,000/18,650
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	20,000/19,000
3500 CC Std Bed SRW 4WD	6.6L V-8	16,000/21,600
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	20,000/21,300
3500 CC LB SRW 2WD	6.6L V-8	16,000/18,550
3500 CC LB SRW 2WD	6.6L V-8 TD	20,000/21,850
3500 CC LB SRW 4WD	6.6L V-8	16,000/18,250
3500 CC LB SRW 4WD	6.6L V-8 TD	20,000/21,550
3500 CC LB DRW 2WD	6.6L V-8	18,200/18,250
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/31,500
3500 CC LB DRW 4WD	6.6L V-8	17,800/17,900
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/31,200

*Tow ratings for Sierra Denali HD models may vary slightly. See your dealer for details.

Chevy Tahoe and Suburban, GMC Yukon Denali, Yukon XL*

Tahoe/Yukon 2WD	5.3L V-8	7,900
Tahoe/Yukon 2WD	5.3L V-8	8,400 (t)
Tahoe/Yukon 2WD	6.2L V-8	7,800
Tahoe/Yukon 2WD	6.2L V-8	8,300 (t)
Tahoe/Yukon 2WD	3.0L I-6 TD	8,200
Tahoe/Yukon 4WD	5.3L V-8	7,700
Tahoe/Yukon 4WD	5.3L V-8	8,200 (t)
Tahoe/Yukon 4WD	6.2L V-8	7,600
Tahoe/Yukon 4WD	6.2L V-8	8,100 (t)
Tahoe/Yukon 4WD	3.0L I-6 TD	8,000
Tahoe/Yukon 4WD	3.0L I-6 TD	8,200 (t)
Suburban/Yukon XL 2WD	5.3L V-8	7,800
Suburban/Yukon XL 2WD	5.3L V-8	8,300 (t)
Suburban/Yukon XL 2WD	6.2L V-8	7,700
Suburban/Yukon XL 2WD	6.2L V-8	8,200 (t)
Suburban/Yukon XL 2WD	3.0L I-6 TD	7,800
Suburban/Yukon XL 4WD	5.3L V-8	7,700
Suburban/Yukon XL 4WD	5.3L V-8	8,100 (t)
Suburban/Yukon XL 4WD	6.2L V-8	7,400
Suburban/Yukon XL 4WD	6.2L V-8	7,900 (t)
Suburban/Yukon XL 4WD	3.0 I-6 TD	7,800

*Ratings for Yukon and Yukon Denali models may vary slightly. See your dealer for details.

CHRYSLER

Chrysler Pacifica	3.6L V-6	3,600
-------------------	----------	-------

DODGE

Dodge Durango RWD	3.6L V-6	6,200 (t)
Dodge Durango RWD	5.7L V-8	7,400 (t)

Dodge Durango AWD	3.6L V-6	6,200 (t)
Dodge Durango AWD	5.7L V-8	7,200 (t)
Dodge Durango AWD	6.4L V-8	8,700 (t)

JEEP

Cherokee	2.0L I-4 TC	2,000
Cherokee	2.0L I-4 TC	4,000 (t)
Cherokee	2.4L I-4	2,000 (t)
Cherokee	3.2L V-6	2,000
Cherokee	3.2L V-6	4,500 (t)
Compass 4WD	2.4L I-4	2,000
Gladiator Sport	3.6L V-6	4,000 (m6,i)
Gladiator Sport	3.6L V-6	4,500 (a8,i)
Gladiator Sport	3.6L V-6	7,700 (a8,k,t)
Gladiator Sport	3.0L V-6 TD	6,500 (a8)
Gladiator Overland	3.6L V-6	4,000 (m6,i)
Gladiator Overland	3.6L V-6	6,000 (a8,i)
Gladiator Overland	3.0L V-6 TD	6,500 (a8)
Gladiator Mojave	3.6L V-6	4,500 (m6,k)
Gladiator Mojave	3.6L V-6	6,000 (a8,k)
Gladiator Rubicon	3.6L V-6	4,500 (m6,k)
Gladiator Rubicon	3.6L V-6	7,000 (a8,k)
Gladiator Rubicon	3.0L V-6 TD	6,000 (a8)
Grand Cherokee 2WD/4WD	3.6L V-6	6,200
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee 4WD	6.4L V-8	7,200
Grand Wagoneer/Wagoneer 2WD/4WD	3.0L I-6 TC, 5.7L V-8	10,000
Grand Wagoneer/Wagoneer 4WD	6.4L V-8	9,850
Renegade 4WD	2.4L I-4	2,000
Wrangler (4-door)	All	3,500

RAM

ProMaster (all)	3.6L V-6	6,910 (t)
ProMaster City Cargo	2.4L I-4	2,000

RAM 1500 Quad Cab Standard Bed

1500 Quad Cab Std Bed 2WD	3.6L V-6	7,690 (h)
1500 Quad Cab Std Bed 2WD	3.0L V-6 TD	8,310 (d)
1500 Quad Cab Std Bed 2WD	3.0L V-6 TD	10,010 (j)
1500 Quad Cab Std Bed 2WD	3.0L V-6 TD	12,560 (j,t)
1500 Quad Cab Std Bed 2WD	5.7L V-8	8,490 (d)
1500 Quad Cab Std Bed 2WD	5.7L V-8	12,750 (j)
1500 Quad Cab Std Bed 4WD	3.6L V-6	6,500 (d)
1500 Quad Cab Std Bed 4WD	3.6L V-6	7,500 (h)
1500 Quad Cab Std Bed 4WD	3.0L V-6 TD	7,800 (d)
1500 Quad Cab Std Bed 4WD	3.0L V-6 TD	9,700 (j)
1500 Quad Cab Std Bed 4WD	5.7L V-8	8,240 (d)
1500 Quad Cab Std Bed 4WD	5.7L V-8	11,340 (t)

RAM 1500 Crew Cab Shortbed

1500 CC SB 2WD	3.6L V-6	6,490 (d)
1500 CC SB 2WD	3.6L V-6	7,490 (h)
1500 CC SB 2WD	3.0L V-6 TD	8,130 (d)*
1500 CC SB 2WD	3.0L V-6 TD	9,830 (j)

1500 CC SB 2WD	5.7L V-8	8,440 (d)
1500 CC SB 2WD	5.7L V-8	11,540 (j,t)
1500 CC SB 4WD	3.6L V-6	6,320 (d)
1500 CC SB 4WD	3.6L V-6	7,320 (h)
1500 CC SB 4WD	3.0 V-6 TD	7,900 (d)
1500 CC SB 4WD	3.0 V-6 TD	9,600 (j)
1500 CC SB 4WD	5.7L V-8	8,170 (d)
1500 CC SB 4WD	5.7L V-8	11,270 (j,t)

*High Fuel Efficiency (HFE) model.

RAM 1500 Crew Cab Standard Bed

1500 CC Std Bed 2WD	3.6L V-6	6,550 (d)
1500 CC Std Bed 2WD	3.6L V-6	7,550 (h)
1500 CC Std Bed 2WD	3.0L V-6 TD	8,110 (d)
1500 CC Std Bed 2WD	3.0L V-6 TD	9,810 (j)
1500 CC Std Bed 2WD	5.7L V-8	8,420 (d)
1500 CC Std Bed 2WD	5.7L V-8	11,520 (j,t)
1500 CC Std Bed 4WD	3.6L V-6	6,120 (d)
1500 CC Std Bed 4WD	3.6L V-6	7,120 (h)
1500 CC Std Bed 4WD	3.0L V-6 TD	7,760 (d)
1500 CC Std Bed 4WD	3.0L V-6 TD	9,460 (j)
1500 CC Std Bed 4WD	5.7L V-8	8,210 (d)
1500 CC Std Bed 4WD	5.7L V-8	11,310 (j,t)**

**TRX model.

Note: Ratings shown are maximum weights for Tradesman model. Higher trim grades may have a reduced tow rating. See your dealer for details and to determine the tow rating of your selected model.

RAM 2500 Regular Cab

RAM 2500 Reg Cab 2WD	6.4L V-8	15,540 (a8,i)
RAM 2500 Reg Cab 2WD	6.4L V-8	17,740 (a,k)
RAM 2500 Reg Cab 2WD	6.7L I-6 TD	19,990 (a6)
RAM 2500 Reg Cab 4WD	6.4L V-8	15,190 (a8,i)
RAM 2500 Reg Cab 4WD	6.4L V-8	17,390 (a8,k)
RAM 2500 Reg Cab 4WD	6.7L I-6 TD	20,000 (a6)

RAM 2500 Crew Cab Shortbed

RAM 2500 Crew Cab SB 2WD	6.4L V-8	15,060 (a8,i)
RAM 2500 Crew Cab SB 2WD	6.4L V-8	17,260 (a8,k)
RAM 2500 Crew Cab SB 2WD	6.7L I-6 TD	20,000 (a6)

RAM 2500 Crew Cab Longbed

RAM 2500 Crew Cab LB 2WD	6.4L V-8	15,060 (a8,i)
RAM 2500 Crew Cab LB 2WD	6.4L V-8	17,260 (a6,k)
RAM 2500 Crew Cab LB 2WD	6.7L I-6 TD	20,000 (a6)
RAM 2500 Crew Cab LB 4WD	6.4L V-8	14,700 (a8,i)
RAM 2500 Crew Cab LB 4WD	6.4L V-8	16,910 (a8,k)
RAM 2500 Crew Cab LB 4WD	6.7L I-6 TD	18,230 (a6)

RAM 2500 Mega Cab

RAM 2500 Mega Cab 4WD	6.4L V-8	14,470 (a8,i)
RAM 2500 Mega Cab 4WD	6.4L V-8	16,600 (a8,k)
RAM 2500 Mega Cab 4WD	6.7L I-6 TD	15,620 (a6)

RAM 3500 Regular Cab SRW

RAM 3500 Reg Cab SRW 2WD	6.4L V-8	15,810 (a8,i)
RAM 3500 Reg Cab SRW 2WD	6.4L V-8	18,210 (a8,k)
RAM 3500 Reg Cab SRW 2WD	6.7L I-6 TD	20,940 (a6,i)
RAM 3500 Reg Cab SRW 2WD	6.7L I-6 TD	22,660 (a6,k)
RAM 3500 Reg Cab SRW 2WD	6.7L I-6 TD HO	33,690 (a6,i)
RAM 3500 Reg Cab SRW 2WD	6.7L I-6 TD HO	37,090 (a6,k)
RAM 3500 Reg Cab SRW 4WD	6.4L V-8	15,120 (a8,i)
RAM 3500 Reg Cab SRW 4WD	6.4L V-8	17,320 (a8,k)
RAM 3500 Reg Cab SRW 4WD	6.7L I-6 TD	20,540 (a6,i)
RAM 3500 Reg Cab SRW 4WD	6.7L I-6 TD	22,220 (a6,k)
RAM 3500 Reg Cab SRW 4WD	6.7L I-6 TD HO	33,250 (a6,i)
RAM 3500 Reg Cab SRW 4WD	6.7L I-6 TD HO	34,650 (a6,k)

RAM 3500 Regular Cab DRW

RAM 3500 Reg Cab DRW 2WD	6.7L I-6 TD HO	33,690 (a6,i)*
RAM 3500 Reg Cab DRW 2WD	6.7L I-6 TD HO	37,090 (a6,k)*
RAM 3500 Reg Cab DRW 4WD	6.7L I-6 TD HO	33,260 (a6,i)*
RAM 3500 Reg Cab DRW 4WD	6.7L I-6 TD HO	34,660 (a6,k)*

RAM 3500 Crew Cab Shortbed

RAM 3500 Crew Cab SB SRW 2WD	6.4L V-8	15,110 (a8,i)
RAM 3500 Crew Cab SB SRW 2WD	6.4L V-8	17,310 (a8,k)
RAM 3500 Crew Cab SB SRW 2WD	6.7L I-6 TD	20,510 (a6)
RAM 3500 Crew Cab SB SRW 2WD	6.7L I-6 TD HO	24,100 (a6)
RAM 3500 Crew Cab SB SRW 4WD	6.4L V-8	14,670 (a8,i)
RAM 3500 Crew Cab SB SRW 4WD	6.4L V-8	16,870 (a8,k)
RAM 3500 Crew Cab SB SRW 4WD	6.7L I-6 TD	20,080 (a6)
RAM 3500 Crew Cab SB SRW 4WD	6.7L I-6 TD HO	23,000 (a6)

RAM 3500 Crew Cab Longbed SRW

RAM 3500 Crew Cab LB SRW 2WD	6.4L V-8	14,940 (a8,i)
RAM 3500 Crew Cab LB SRW 2WD	6.4L V-8	17,580 (a8,k)
RAM 3500 Crew Cab LB SRW 2WD	6.7L I-6 TD	20,370 (a6,i)
RAM 3500 Crew Cab LB SRW 2WD	6.7L I-6 TD	22,010 (a6,k)
RAM 3500 Crew Cab LB SRW 2WD	6.7L I-6 TD HO	33,060 (a6,i)
RAM 3500 Crew Cab LB SRW 2WD	6.7L I-6 TD HO	34,460 (a6,k)
RAM 3500 Crew Cab LB SRW 4WD	6.4L V-8	14,830 (a8,i)
RAM 3500 Crew Cab LB SRW 4WD	6.4L V-8	17,230 (a8,k)
RAM 3500 Crew Cab LB SRW 4WD	6.7L I-6 TD	20,020 (a6,i)
RAM 3500 Crew Cab LB SRW 4WD	6.7L I-6 TD	21,680 (a6,k)
RAM 3500 Crew Cab LB SRW 4WD	6.7L I-6 TD HO	32,710 (a6,i)
RAM 3500 Crew Cab LB SRW 4WD	6.7L I-6 TD HO	34,070 (a6,k)

RAM 3500 Crew Cab Longbed DRW

RAM 3500 Crew Cab LB DRW 2WD	6.7L I-6 TD	20,020 (a6,i)*
RAM 3500 Crew Cab LB DRW 2WD	6.7L I-6 TD HO	33,070 (a6,i)
RAM 3500 Crew Cab LB DRW 2WD	6.7L I-6 TD HO	34,470 (a6,i)*
RAM 3500 Crew Cab LB DRW 4WD	6.7L I-6 TD	21,690 (a6)
RAM 3500 Crew Cab LB DRW 4WD	6.7L I-6 TD HO	32,720 (a6,i)*
RAM 3500 Crew Cab LB DRW 4WD	6.7L I-6 TD HO	34,120 (a6,i)

RAM 3500 Mega Cab

RAM 3500 Mega Cab SRW 4WD	6.4L V-8	14,760 (a8,i)
---------------------------	----------	---------------

RAM 3500 Mega Cab SRW 4WD	6.4L V-8	17,160 (a8,k)
RAM 3500 Mega Cab SRW 4WD	6.7L I-6 TD	19,820 (a6,i)
RAM 3500 Mega Cab SRW 4WD	6.7L I-6 TD	21,490 (a6,k)
RAM 3500 Mega Cab SRW 4WD	6.7L I-6 TD HO	32,570 (a6,i)
RAM 3500 Mega Cab SRW 4WD	6.7L I-6 TD HO	32,930 (a6,k)
RAM 3500 Mega Cab DRW 4WD	6.7L I-6 TD	19,500 (a6,i)
RAM 3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,500 (a6,i)
RAM 3500 Mega Cab DRW 4WD	6.7L I-6 TD HO	32,580 (a6,i)*
RAM 3500 Mega Cab DRW 4WD	6.7L I-6 TD HO	33,200 (a6,i)*

*A fifth-wheel hitch is required for trailers over 23,000 pounds. A gooseneck hitch is required for trailers over 30,000 pounds.

FORD

Bronco

All	2.3L I-4 TC, 2.7L V-6 TC	3,500 (t)
All	3.0L V-6 TC	4,500

Edge, Escape, Explorer, Expedition

Edge AWD	2.0L I-4 TC	3,500 (t)
Edge ST	2.7L V-6 TC	3,500
Escape FWD/AWD	All (except Hybrid)	2,000
Escape FWD/AWD	2.0L I-4 TC	3,500 (t)
Explorer RWD	2.3L I-4 TC	3,000
Explorer RWD	2.3L I-4 TC	5,300 (t)
Explorer 4WD	3.0L V-6 TC	5,600
Explorer Hybrid RWD/4WD	3.3L HEV V-6	3,000
Explorer Hybrid RWD/4WD	3.3L HEV V-6	5,000 (t)
Expedition 2WD	3.5L V-6 TC	6,600 (c/f)
Expedition 2WD	3.5L V-6 TC	9,300 (i,t)
Expedition 4WD	3.5L V-6 TC	6,500 (f/i)
Expedition 4WD	3.5L V-6 TC	9,200 (i,t)
Expedition Max 2WD	3.5L V-6 TC	6,600
Expedition Max 2WD	3.5L V-6 TC	9,000 (t)
Expedition Max 4WD	3.5L V-6 TC	6,600 (f/i)
Expedition Max 4WD	3.5L V-6 TC	9,000 (i,t)

F-150*

F-150 Reg Cab Std Bed 2WD	3.3L V-6	5,000 (h)
F-150 Reg Cab Std Bed 2WD	3.3L V-6	8,200 (i)
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	7,600 (c/h)
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	8,600 (i)
F-150 Reg Cab Std Bed 2WD	5.0L V-8	8,300 (c/f)
F-150 Reg Cab Std Bed 2WD	5.0L V-8	9,100 (i)
F-150 Reg Cab Std Bed 4WD	3.3L V-6	5,100 (h)
F-150 Reg Cab Std Bed 4WD	3.3L V-6	8,200 (i)
F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	7,700 (h)
F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	8,500 (i)
F-150 Reg Cab Std Bed 4WD	5.0L V-8	8,200 (f)
F-150 Reg Cab Std Bed 4WD	5.0L V-8	9,600 (i)
F-150 Reg Cab LB 2WD	3.3L V-6	5,000
F-150 Reg Cab LB 2WD	3.3L V-6	8,200 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600 (f,h)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,600 (i)
F-150 Reg Cab LB 2WD	2.7L V-6 TC	10,000 (i,p)
F-150 Reg Cab LB 2WD	5.0L V-8	9,900 (c/f)

F-150 Reg Cab LB 2WD	5.0L V-8	10,400 (i)
F-150 Reg Cab LB 2WD	5.0L V-8	13,000 (i,p)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	11,200 (f/h)
F-150 Reg Cab LB 2WD	3.5L V-6 TC	13,000 (h/i,p)
F-150 Reg Cab LB 4WD	3.3L V-6	8,200 (i)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,700 (h)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,400 (i)
F-150 Reg Cab LB 4WD	2.7L V-6 TC	10,000 (i,p)
F-150 Reg Cab LB 4WD	5.0L V-8	9,700 (f)
F-150 Reg Cab LB 4WD	5.0L V-8	10,500 (i)
F-150 Reg Cab LB 4WD	5.0L V-8	13,000 (i,p)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,200 (f/h)
F-150 Reg Cab LB 4WD	3.5L V-6 TC	13,100 (i,p)
F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000 (h)
F-150 SuperCab Std Bed 2WD	3.3L V-6	8,200 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700 (c/f)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,400 (i)
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	10,000 (i,p)
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,800 (c/f)
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,500 (i)
F-150 SuperCab Std Bed 2WD	5.0L V-8	12,800 (i,p)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	11,000 (f/h)
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	12,300 (h,p)
F-150 SuperCab Std Bed 4WD	3.3L V-6	8,100 (i)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600 (h)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,100 (i)
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	10,100 (i,p)
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,500 (f)
F-150 SuperCab Std Bed 4WD	5.0L V-8	10,500 (i)
F-150 SuperCab Std Bed 4WD	5.0L V-8	12,300 (i,p)
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	10,500 (f/h)
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	12,100 (h,p)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,100 (f/h)
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	12,300 (h,p)
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,600 (f/h)
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,300 (i)
F-150 SuperCab LB 2WD	2.7L V-6 TC	10,000 (i,p)
F-150 SuperCab LB 2WD	5.0L V-8	9,600 (c/f)
F-150 SuperCab LB 2WD	5.0L V-8	10,400 (i)
F-150 SuperCab LB 2WD	5.0L V-8	13,000 (i,p)
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,200 (f/h)
F-150 SuperCab LB 2WD	3.5L V-6 TC	14,000 (h/i,p)
F-150 SuperCab LB 4WD	5.0L V-8	9,400 (f)
F-150 SuperCab LB 4WD	5.0L V-8	10,400 (i)
F-150 SuperCab LB 4WD	5.0L V-8	13,000 (i,p)
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,200 (f/h)
F-150 SuperCab LB 4WD	3.5L V-6 TC	13,800 (h/i)
F-150 SuperCrew Cab Shortbed 2WD	3.3L V-6	5,100 (h)
F-150 SuperCrew Cab Shortbed 2WD	3.3L V-6	8,200 (i)
F-150 SuperCrew Cab Shortbed 2WD	2.7L V-6 TC	7,700 (c/h)
F-150 SuperCrew Cab Shortbed 2WD	2.7L V-6 TC	8,300 (i)
F-150 SuperCrew Cab Shortbed 2WD	2.7L V-6 TC	10,000 (i,p)
F-150 SuperCrew Cab Shortbed 2WD	5.0L V-8	9,700 (c/f)
F-150 SuperCrew Cab Shortbed 2WD	5.0L V-8	10,500 (i)

F-150 SuperCrew Cab Shortbed 2WD	5.0L V-8	12,900 (i,p)
F-150 SuperCrew Cab Shortbed 2WD	3.5L V-6 TC	11,200 (f/h)
F-150 SuperCrew Cab Shortbed 2WD	3.5L V-6 TC	14,000 (h,p)
F-150 SuperCrew Cab Shortbed 4WD	3.3L V-6	8,200 (i)
F-150 SuperCrew Cab Shortbed 4WD	2.7L V-6 TC	7,700 (h)
F-150 SuperCrew Cab Shortbed 4WD	2.7L V-6 TC	8,100 (i)
F-150 SuperCrew Cab Shortbed 4WD	2.7L V-6 TC	10,100 (i,p)
F-150 SuperCrew Cab Shortbed 4WD	5.0L V-8	9,400 (f)
F-150 SuperCrew Cab Shortbed 4WD	5.0L V-8	10,400 (i)
F-150 SuperCrew Cab Shortbed 4WD	5.0L V-8	13,000 (i,p)
F-150 SuperCrew Cab Shortbed 4WD	3.0L V-6 TD	10,400 (f/h)
F-150 SuperCrew Cab Shortbed 4WD	3.0L V-6 TD	12,100 (h,p)
F-150 SuperCrew Cab Shortbed 4WD	3.5L V-6 TC	11,300 (f/h)
F-150 SuperCrew Cab Shortbed 4WD	3.5L V-6 TC	13,900 (h,p)
F-150 SuperCrew Cab Std Bed 2WD	2.7L V-6 TC	7,800 (f/h)
F-150 SuperCrew Cab Std Bed 2WD	2.7L V-6 TC	8,300 (i)
F-150 SuperCrew Cab Std Bed 2WD	2.7L V-6 TC	10,000 (i)
F-150 SuperCrew Cab Std Bed 2WD	5.0L V-8	9,600 (f/h)
F-150 SuperCrew Cab Std Bed 2WD	5.0L V-8	10,400 (i)
F-150 SuperCrew Cab Std Bed 2WD	5.0L V-8	13,000 (i,p)
F-150 SuperCrew Cab Std Bed 2WD	3.5L V-6 TC	11,300 (h)
F-150 SuperCrew Cab Std Bed 2WD	3.5L V-6 TC	14,000 (i,p)
F-150 SuperCrew Cab Std Bed 4WD	5.0L V-8	9,300 (f)
F-150 SuperCrew Cab Std Bed 4WD	5.0L V-8	10,300 (i)
F-150 SuperCrew Cab Std Bed 4WD	5.0L V-8	13,000 (i,p)
F-150 SuperCrew Cab Std Bed 4WD	3.0L V-6 TD	10,400 (f/h)
F-150 SuperCrew Cab Std Bed 4WD	3.0L V-6 TD	12,100 (h,p)
F-150 SuperCrew Cab Std Bed 4WD	3.5L V-6 TC	13,800 (i,p)
F-150 SuperCrew Cab Std Bed 4WD	3.5L V-6 TC	11,200 (f/h)
F-150 Lightning Standard Range	Dual Motor EV	7,700 (t)
F-150 Lightning Extended Range	Dual Motor EV	10,000 (t)
Maverick SuperCrew Cab Std Bed FWD	2.5L I-4 Hybrid	2,000 (t)
Maverick SuperCrew Cab Std Bed AWD	2.0L I-4 Hybrid	4,000 (t)

*Conventional tow ratings shown. Fifth-wheel and gooseneck ratings may vary. See your dealer for details.

MANUFACTURER'S NOTE (1): Do not exceed trailer weight of 5,000 pounds when towing with bumper only.

MANUFACTURER'S NOTE (2): Combined weight of vehicle and trailer cannot exceed listed GCWR.

MANUFACTURER'S NOTE (3): Do not exceed the Maximum Loaded Trailer Weight listed.

MANUFACTURER'S NOTE (4): Trailer tongue load weight should be 10% of total loaded trailer weight. Make sure vehicle payload (reduce by option weight) will accommodate trailer tongue load weight and weight of passengers and cargo added to towing vehicle. Addition of trailer tongue load weight and weight of passengers and cargo cannot cause vehicle weights to exceed rear GAWR or GVWR. These ratings can be found on the vehicle Safety Compliance Certification Label.

F-250 Super Duty Conventional Towing

F-250 Reg Cab 2WD	6.8L V-8	14,800 (i)
F-250 Reg Cab 2WD	6.8L V-8	17,300 (i)
F-250 Reg Cab 2WD	6.7L V-8 TD	18,200 (f/h)
F-250 Reg Cab 2WD	7.3L V-8	17,200 (h)
F-250 Reg Cab 2WD	7.3L V-8	18,200 (i/l)
F-250 Reg Cab 4WD	6.8L V-8	14,400 (i)
F-250 Reg Cab 4WD	6.8L V-8	16,900 (i)
F-250 Reg Cab 4WD	6.7L V-8 TD	20,000 (f/h)
F-250 Reg Cab 4WD	7.3L V-8	16,800 (h)
F-250 Reg Cab 4WD	7.3L V-8	17,900 (i)

F-250 Reg Cab 4WD	7.3L V-8	18,200 (i)
F-250 SuperCab Std Bed 2WD	6.8L V-8	14,500 (i)
F-250 SuperCab Std Bed 2WD	6.8L V-8	17,000 (i)
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	18,200 (f/h)
F-250 SuperCab Std Bed 2WD	7.3L V-8	17,000 (h)
F-250 SuperCab Std Bed 2WD	7.3L V-8	18,100 (i)
F-250 SuperCab Std Bed 2WD	7.3L V-8	18,200 (i)
F-250 SuperCab Std Bed 4WD	6.8L V-8	14,100 (i)
F-250 SuperCab Std Bed 4WD	6.8L V-8	16,600 (i)
F-250 SuperCab Std Bed 4WD	6.7L V-8 TD	20,000 (f/h)
F-250 SuperCab Std Bed 4WD	7.3L V-8	16,500 (h)
F-250 SuperCab Std Bed 4WD	7.3L V-8	17,600 (i)
F-250 SuperCab Std Bed 4WD	7.3L V-8	18,200 (i)
F-250 SuperCab LB 2WD	6.8L V-8	14,400 (i)
F-250 SuperCab LB 2WD	6.8L V-8	18,200 (i)
F-250 SuperCab LB 2WD	6.7L V-8 TD	19,500 (f/h)
F-250 SuperCab LB 2WD	7.3L V-8 TD	16,800 (h)
F-250 SuperCab LB 2WD	7.3L V-8 TD	17,900 (i)
F-250 SuperCab LB 2WD	7.3L V-8 TD	18,200 (i)
F-250 SuperCab LB 4WD	6.8L V-8	14,000 (i)
F-250 SuperCab LB 4WD	6.8L V-8	16,500 (i)
F-250 SuperCab LB 4WD	6.7L V-8 TD	22,000 (f/h)
F-250 SuperCab LB 4WD	7.3L V-8	16,400 (h)
F-250 SuperCab LB 4WD	7.3L V-8	17,500 (i)
F-250 SuperCab LB 4WD	7.3L V-8	18,200 (i)
F-250 Crew Cab Std Bed 2WD	6.8L V-8	14,300 (i)
F-250 Crew Cab Std Bed 2WD	6.8L V-8	16,800 (i)
F-250 Crew Cab Std Bed 2WD	6.7L V-8 TD	19,500 (f/h)
F-250 Crew Cab Std Bed 2WD	7.3L V-8	16,900 (h)
F-250 Crew Cab Std Bed 2WD	7.3L V-8	18,000 (i)
F-250 Crew Cab Std Bed 2WD	7.3L V-8	18,200 (i)
F-250 Crew Cab Std Bed 4WD	6.8L V-8	14,100 (i)
F-250 Crew Cab Std Bed 4WD	6.8L V-8	16,600 (i)
F-250 Crew Cab Std Bed 4WD	6.7L V-8 TD	22,000 (f/h)
F-250 Crew Cab Std Bed 4WD	7.3L V-8	16,600 (h)
F-250 Crew Cab Std Bed 4WD	7.3L V-8	17,700 (i)
F-250 Crew Cab Std Bed 4WD	7.3L V-8	18,200 (i)
F-250 Crew Cab LB 2WD	6.8L V-8	14,300 (i)
F-250 Crew Cab LB 2WD	6.8L V-8	16,800 (i)
F-250 Crew Cab LB 2WD	6.7L V-8 TD	19,500 (f/h)
F-250 Crew Cab LB 2WD	7.3L V-8	16,700 (h)
F-250 Crew Cab LB 2WD	7.3L V-8	17,800 (i,t)
F-250 Crew Cab LB 4WD	6.8L V-8	13,800 (i)
F-250 Crew Cab LB 4WD	6.8L V-8	16,300 (i)
F-250 Crew Cab LB 4WD	6.7L V-8 TD	22,000 (f/h)
F-250 Crew Cab LB 4WD	7.3L V-8	16,200 (h)
F-250 Crew Cab LB 4WD	7.3L V-8	17,300 (i)
F-250 Crew Cab LB 4WD	7.3L V-8	18,200 (i)

F-250 Super Duty Fifth-Wheel/Gooseneck Towing

F-250 Reg Cab 2WD	6.8L V-8	14,600/14,800 (i)
F-250 Reg Cab 2WD	6.8L V-8	17,100/17,300 (i)
F-250 Reg Cab 2WD	6.7L V-8 TD	22,300/22,900 (f/h)
F-250 Reg Cab 2WD	7.3L V-8	18,100/18,300 (i)

F-250 Reg Cab 2WD	7.3L V-8	19,500/19,500 (l)
F-250 Reg Cab 4WD	6.8L V-8	14,100/14,300 (i)
F-250 Reg Cab 4WD	6.8L V-8	16,600/16,800 (l)
F-250 Reg Cab 4WD	6.7L V-8 TD	21,700/22,500 (f/h)
F-250 Reg Cab 4WD	7.3L V-8	17,700/17,800 (i)
F-250 Reg Cab 4WD	7.3L V-8	19,100/19,200 (l)
F-250 SuperCab Std Bed 2WD	6.8L V-8	14,300/14,500 (i)
F-250 SuperCab Std Bed 2WD	6.8L V-8	16,800/17,000 (l)
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	21,000/22,000 (f/i)
F-250 SuperCab Std Bed 2WD	7.3L V-8	17,800/18,000 (i)
F-250 SuperCab Std Bed 2WD	7.3L V-8	19,200/19,400 (l)
F-250 SuperCab Std Bed 4WD	6.8L V-8	13,900/14,000 (i)
F-250 SuperCab Std Bed 4WD	6.8L V-8	16,600/16,500 (l)
F-250 SuperCab Std Bed 4WD	6.7L V-8 TD	20,500/21,500 (f/h)
F-250 SuperCab Std Bed 4WD	7.3L V-8	17,400/17,600 (i)
F-250 SuperCab Std Bed 4WD	7.3L V-8	18,800/19,000 (l)
F-250 SuperCab LB 2WD	6.8L V-8	14,200/14,300 (i)
F-250 SuperCab LB 2WD	6.8L V-8	16,700/16,800 (l)
F-250 SuperCab LB 2WD	6.7L V-8 TD	20,900/22,000 (f/h)
F-250 SuperCab LB 2WD	7.3L V-8	17,700/17,900 (i)
F-250 SuperCab LB 2WD	7.3L V-8	19,100/19,300 (l)
F-250 SuperCab LB 4WD	6.8L V-8	13,800/13,900 (i)
F-250 SuperCab LB 4WD	6.8L V-8	16,300/16,400 (l)
F-250 SuperCab LB 4WD	6.7L V-8 TD	20,600/21,600 (f/h)
F-250 SuperCab LB 4WD	7.3L V-8	17,300/17,500 (i)
F-250 SuperCab LB 4WD	7.3L V-8	18,300/18,900 (l)
F-250 Crew Cab Std Box 2WD	6.8L V-8	14,300/14,400 (i)
F-250 Crew Cab Std Box 2WD	6.8L V-8	16,800/16,900 (l)
F-250 Crew Cab Std Box 2WD	6.7L V-8 TD	20,900/22,000 (f/h)
F-250 Crew Cab Std Box 2WD	7.3L V-8	17,800/17,900 (i)
F-250 Crew Cab Std Box 2WD	7.3L V-8	19,200/19,300 (l)
F-250 Crew Cab Std Box 4WD	6.8L V-8	13,900/14,100 (i)
F-250 Crew Cab Std Box 4WD	6.8L V-8	16,400/16,600 (l)
F-250 Crew Cab Std Box 4WD	6.7L V-8 TD	20,500/21,600 (f/h)
F-250 Crew Cab Std Box 4WD Tremor	6.7L V-8 TD	19,500/20,000 (h)
F-250 Crew Cab Std Box 4WD	7.3L V-8	17,400/17,600 (i)
F-250 Crew Cab Std Box 4WD	7.3L V-8	18,800/19,000 (l)
F-250 Crew Cab LB 2WD	6.8L V-8	14,000/14,200 (i)
F-250 Crew Cab LB 2WD	6.8L V-8	16,500/16,700 (l)
F-250 Crew Cab LB 2WD	6.7L V-8 TD	20,200/20,100 (f/h)
F-250 Crew Cab LB 2WD	7.3L V-8	17,500/17,700 (i)
F-250 Crew Cab LB 2WD	7.3L V-8	18,900/19,100 (l)
F-250 Crew Cab LB 4WD	6.8L V-8	13,600/13,800 (i)
F-250 Crew Cab LB 4WD	6.8L V-8	16,100/16,300 (l)
F-250 Crew Cab LB 4WD	6.7L V-8 TD	19,300/20,300 (f/h)
F-250 Crew Cab LB 4WD	7.3L V-8	17,100/17,300 (i)
F-250 Crew Cab LB 4WD	7.3L V-8	18,500/18,700 (l)

MANUFACTURER'S NOTE (1): Combined weight of vehicle and trailer cannot exceed listed GCWR.

MANUFACTURER'S NOTE (2): Do not exceed the Maximum Loaded Trailer Weight listed.

MANUFACTURER'S NOTE (3): Conventional trailer tongue load weight should be 10% (15% for fifth-wheel and gooseneck towing) of total loaded trailer weight. Make sure vehicle payload (reduce by option weight) will accommodate trailer tongue (trailer king pin for fifth-wheel towing) load weight and weight of passengers and cargo added to towing vehicle. Addition of trailer tongue (trailer king pin for fifth-wheel towing) load weight and weight of passengers and cargo must not cause vehicle weights to exceed rear GAWR or GVWR. These ratings can be found on the vehicle Safety Compliance Certification Label.

F-350 Super Duty Conventional Towing

F-350 Reg Cab 2WD	6.8L V-8	14,700 (i)
F-350 Reg Cab 2WD	6.8L V-8	18,100 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	20,000 (f/h)
F-350 Reg Cab 2WD	7.3L V-8	18,200 (i/l)
F-350 Reg Cab 4WD	6.8L V-8	14,300 (i)
F-350 Reg Cab 4WD	6.8L V-8	17,700 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	20,000 (f/h)
F-350 Reg Cab 4WD	7.3L V-8	18,300 (i)
F-350 Reg Cab 4WD	7.3L V-8	19,500 (l)
F-350 SuperCab Std Bed 2WD	6.8L V-8	14,500 (i)
F-350 SuperCab Std Bed 2WD	6.8L V-8	17,900 (l)
F-350 SuperCab Std Bed 2WD	6.7L V-8 TD	20,000 (f/h)
F-350 SuperCab Std Bed 2WD	7.3L V-8	18,200 (i/l)
F-350 SuperCab Std Bed 4WD	6.8L V-8	14,100 (i)
F-350 SuperCab Std Bed 4WD	6.8L V-8	17,500 (l)
F-350 SuperCab Std Bed 4WD	6.7L V-8 TD	20,000 (f/h)
F-350 SuperCab Std Bed 4WD	7.3L V-8	18,100 (i)
F-350 SuperCab Std Bed 4WD	7.3L V-8	19,500 (l)
F-350 SuperCab LB 2WD	6.8L V-8	14,400 (i)
F-350 SuperCab LB 2WD	6.8L V-8	17,800 (l)
F-350 SuperCab LB 2WD	6.7L V-8 TD	23,000 (f/h)
F-350 SuperCab LB 2WD	7.3L V-8	18,400 (i)
F-350 SuperCab LB 2WD	7.3L V-8	19,500 (l)
F-350 SuperCab LB 4WD	6.8L V-8	14,000 (i)
F-350 SuperCab LB 4WD	6.8L V-8	17,400 (l)
F-350 SuperCab LB DRW	6.7L V-8 TD	24,000 (f/h)
F-350 SuperCab LB 4WD	7.3L V-8	17,900 (i)
F-350 SuperCab LB 4WD	7.3L V-8	19,500 (l)
F-350 Crew Cab Std Bed 2WD	6.8L V-8	14,300 (i)
F-350 Crew Cab Std Bed 2WD	6.8L V-8	17,700 (l)
F-350 Crew Cab Std Bed 2WD	6.7L V-8 TD	23,000 (f/h)
F-350 Crew Cab Std Bed 2WD	7.3L V-8	18,300 (i)
F-350 Crew Cab Std Bed 2WD	7.3L V-8	19,500 (l)
F-350 Crew Cab Std Bed 4WD	6.8L V-8	13,900 (i)
F-350 Crew Cab Std Bed 4WD	6.8L V-8	17,300 (l)
F-350 Crew Cab Std Bed DRW	6.7L V-8 TD	23,900 (f)
F-350 Crew Cab Std Bed DRW	6.7L V-8 TD	24,000 (h)
F-350 Crew Cab Std Bed 4WD	7.3L V-8	17,900 (i)
F-350 Crew Cab Std Bed 4WD	7.3L V-8	19,500 (l)
F-350 Crew Cab LB 2WD	6.8L V-8	14,100 (i)
F-350 Crew Cab LB 2WD	6.8L V-8	17,500 (l)
F-350 Crew Cab LB 2WD	6.7L V-8 TD	23,000 (f/h)
F-350 Crew Cab LB 2WD	7.3L V-8	18,100 (i)
F-350 Crew Cab LB 2WD	7.3L V-8	19,500 (l)
F-350 Crew Cab LB 4WD	6.8L V-8	13,800 (i)
F-350 Crew Cab LB 4WD	6.8L V-8	17,200 (l)
F-350 Crew Cab LB 4WD	6.7L V-8 TD	23,700 (f)
F-350 Crew Cab LB 4WD	6.7L V-8 TD	25,000 (h)
F-350 Crew Cab LB 4WD	7.3L V-8	17,800 (i)
F-350 Crew Cab LB 4WD	7.3L V-8	19,500 (l)

F-350 SRW Fifth-Wheel/Gooseneck Towing

F-350 Reg Cab 2WD	6.8L V-8	14,400/14,600 (i)
F-350 Reg Cab 2WD	6.8L V-8	17,800/18,000 (l)

F-350 Reg Cab 2WD	6.7L V-8 TD	23,700/23,800 (f/h)
F-350 Reg Cab 2WD	7.3L V-8	18,400/18,600 (i)
F-350 Reg Cab 2WD	7.3L V-8	22,200/22,400 (l)
F-350 Reg Cab 4WD	6.8L V-8	14,100/14,200 (i)
F-350 Reg Cab 4WD	6.8L V-8	17,500/17,600 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	24,100/24,200 (f)
F-350 Reg Cab 4WD	6.7L V-8 TD	27,400/27,600 (h)
F-350 Reg Cab 4WD	7.3L V-8	18,100/18,200 (i)
F-350 Reg Cab 4WD	7.3L V-8	21,800/22,000 (l)
F-350 SuperCab Std Bed 2WD	6.8L V-8	14,300/14,400 (i)
F-350 SuperCab Std Bed 2WD	6.8L V-8	17,700/17,800 (l)
F-350 SuperCab Std Bed 2WD	6.7L V-8 TD	24,200/24,400 (f)
F-350 SuperCab Std Bed 2WD	6.7L V-8 TD	24,200/25,300 (h)
F-350 SuperCab Std Bed 2WD	7.3L V-8	18,200/18,400 (i)
F-350 SuperCab Std Bed 2WD	7.3L V-8	21,300/22,200 (l)
F-350 SuperCab Std Bed 4WD	6.2L V-8	13,800/14,000 (i)
F-350 SuperCab Std Bed 4WD	6.2L V-8	17,200/17,400 (l)
F-350 SuperCab Std Bed 4WD	6.7L V-8 TD	23,800/24,000 (f)
F-350 SuperCab Std Bed 4WD	6.7L V-8 TD	26,700/257,400 (h)
F-350 SuperCab Std Bed 4WD	7.3L V-8	17,800/18,000 (i)
F-350 SuperCab Std Bed 4WD	7.3L V-8	21,600/21,800 (l)
F-350 SuperCab LB 2WD	6.8L V-8	14,100/14,300 (i)
F-350 SuperCab LB 2WD	6.8L V-8	17,500/17,700 (l)
F-350 SuperCab LB 2WD	6.7L V-8 TD	24,000/24,300 (f)
F-350 SuperCab LB 2WD	6.7L V-8 TD	24,000/25,100 (h)
F-350 SuperCab LB 2WD	7.3L V-8	18,100/18,300 (i)
F-350 SuperCab LB 2WD	7.3L V-8	21,900/22,000 (l)
F-350 SuperCab LB 4WD	6.8L V-8	13,700/13,900 (i)
F-350 SuperCab LB 4WD	6.8L V-8	17,100/17,300 (l)
F-350 SuperCab LB 4WD	6.7L V-8 TD	23,700/23,900 (f)
F-350 SuperCab LB 4WD	6.7L V-8 TD	26,700/27,300 (h)
F-350 SuperCab LB 4WD	7.3L V-8	17,700/17,900 (i)
F-350 SuperCab LB 4WD	7.3L V-8	21,500/21,700 (l)
F-350 Crew Cab Std Bed 2WD	6.8L V-8	14,100/14,300 (i)
F-350 Crew Cab Std Bed 2WD	6.8L V-8	21,800/22,000 (l)
F-350 Crew Cab Std Bed 2WD	6.7L V-8 TD	23,600/24,200 (f)
F-350 Crew Cab Std Bed 2WD	6.7L V-8 TD	23,600/24,600 (h)
F-350 Crew Cab Std Bed 2WD	7.3L V-8	18,100/18,200 (i)
F-350 Crew Cab Std Bed 2WD	7.3L V-8	21,800/21,900 (l)*
F-350 Crew Cab Std Bed 4WD	6.8L V-8	13,700/13,800 (i)
F-350 Crew Cab Std Bed 4WD	6.8L V-8	17,100/17,200 (l)
F-350 Crew Cab Std Bed 4WD	6.7L V-8 TD	23,600/23,800 (f)
F-350 Crew Cab Std Bed 4WD	6.7L V-8 TD	25,900/27,000 (h)
F-350 Crew Cab Std Bed 4WD Tremor	6.7L V-8 TD	23,000 (h)
F-350 Crew Cab Std Bed 4WD	7.3L V-8	17,700/17,800 (i)
F-350 Crew Cab Std Bed 4WD	7.3L V-8	21,400/21,600 (l)
F-350 Crew Cab Std Bed 4WD Tremor	7.3L V-8 TD	21,000/21,000 (i)
F-350 Crew Cab LB 2WD	6.8L V-8	13,900/14,000 (i)
F-350 Crew Cab LB 2WD	6.8L V-8	17,300/17,400 (l)
F-350 Crew Cab LB 2WD	6.7L V-8 TD	23,200/24,000 (f)
F-350 Crew Cab LB 2WD	6.7L V-8 TD	23,200/24,300 (h)
F-350 Crew Cab LB 2WD	7.3L V-8	17,900/18,000 (i)
F-350 Crew Cab LB 2WD	7.3L V-8	21,600/21,800 (l)
F-350 Crew Cab LB 4WD	6.8L V-8	13,600/13,700 (i)

F-350 Crew Cab LB 4WD	6.8L V-8	17,000/17,100 (l)
F-350 Crew Cab LB 4WD	6.7L V-8 TD	23,400/23,500 (f)
F-350 Crew Cab LB 4WD	6.7L V-8 TD	25,600/26,700 (h)
F-350 Crew Cab LB 4WD	7.3L V-8	17,600/17,700 (i)
F-350 Crew Cab LB 4WD	7.3L V-8	21,300/21,500 (l)

MANUFACTURER'S NOTE (1): Combined weight of vehicle and trailer cannot exceed listed GCWR.
 MANUFACTURER'S NOTE (2): Do not exceed the Maximum Loaded Trailer Weight listed.
 MANUFACTURER'S NOTE (3): Conventional trailer tongue load weight should be 10% (15% for fifth-wheel and gooseneck towing) of total loaded trailer weight. Make sure vehicle payload (reduce by option weight) will accommodate trailer tongue (trailer king pin for fifth-wheel towing) load weight and weight of passengers and cargo added to towing vehicle. Addition of trailer tongue (trailer king pin for fifth-wheel towing) load weight and weight of passengers and cargo must not cause vehicle weights to exceed rear GAWR or GVWR. These ratings can be found on the vehicle Safety Compliance Certification Label.

F-350/F-450 DRW Conventional Towing

F-350 Reg Cab 2WD	6.8L V-8	18,700 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	24,800 (h/k)
F-350 Reg Cab 2WD	7.3L V-8	18,900 (i)
F-350 Reg Cab 2WD	7.3L V-8	22,000 (l)
F-450 Reg Cab 2WD	6.7L V-8 TD	25,000 (k)
F-350 Reg Cab 4WD	6.8L V-8	13,800 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	24,800 (h/k)
F-350 Reg Cab 4WD	7.3L V-8	18,500 (i)
F-350 Reg Cab 4WD	7.3L V-8	22,000 (l)
F-450 Reg Cab 4WD	6.7L V-8 TD	25,000 (l)
F-350 SuperCab 2WD	6.8L V-8	18,300 (l)
F-350 SuperCab 2WD	6.7L V-8 TD	26,700 (h/k)
F-350 SuperCab 2WD	7.3L V-8	18,500 (i)
F-350 SuperCab 2WD	7.3L V-8	22,000 (l)
F-350 SuperCab 4WD	6.8L V-8	17,800 (l)
F-350 SuperCab 4WD	6.7L V-8 TD	26,700 (h/k)
F-350 SuperCab 4WD	7.3L V-8	18,100 (i)
F-350 SuperCab 4WD	7.3L V-8	21,900 (l)
F-350 Crew Cab 2WD	6.8L V-8	18,000 (l)
F-350 Crew Cab 2WD	6.7L V-8 TD	27,000 (h)
F-350 Crew Cab 2WD	6.7L V-8 TD	28,000 (k)
F-350 Crew Cab 2WD	7.3L V-8	18,200 (i)
F-350 Crew Cab 2WD	7.3L V-8	22,000 (l)
F-450 Crew Cab 2WD/4WD	6.7L V-8 TD	30,000 (l)
F-350 Crew Cab 4WD	6.8L V-8	17,600 (l)
F-350 Crew Cab 4WD	6.7L V-8 TD	27,000 (h)
F-350 Crew Cab 4WD	6.7L V-8 TD	28,000 (k)
F-350 Crew Cab 4WD	7.3L V-8	17,800 (i)
F-350 Crew Cab 4WD	7.3L V-8	21,600 (l)
F-450 Crew Cab 2WD/4WD	6.7L V-8 TD	30,000 (l)

F-350/F-450 DRW Fifth-Wheel/Gooseneck Towing

F-350 Reg Cab 2WD	6.8L V-8	18,700/18,900 (l)
F-350 Reg Cab 2WD	6.7L V-8 TD	32,400/32,600 (h)
F-350 Reg Cab 2WD	6.7L V-8 TD	35,000/36,500 (k)
F-350 Reg Cab 2WD	7.3L V-8	18,700/18,800 (i)
F-350 Reg Cab 2WD	7.3L V-8	22,500/22,500 (l)
F-450 Reg Cab 2WD	6.7L V-8 TD	35,000/40,000 (l)
F-350 Reg Cab 4WD	6.8L V-8	18,000/18,200 (l)
F-350 Reg Cab 4WD	6.7L V-8 TD	32,300/32,500 (h)

F-350 Reg Cab 4WD	6.7L V-8 TD	35,000/37,600 (k)
F-350 Reg Cab 4WD	7.3L V-8	18,200/18,400 (i)
F-350 Reg Cab 4WD	7.3L V-8	22,000/22,200 (l)
F-450 Reg Cab 4WD	6.7L V-8 TD	35,000/36,900 (l)
F-350 SuperCab 2WD	6.8L V-8	18,000/18,200 (l)
F-350 SuperCab 2WD	6.7L V-8 TD	31,800/32,000 (h)
F-350 SuperCab 2WD	6.7L V-8 TD	35,000/35,900 (k)
F-350 SuperCab 2WD	7.3L V-8	18,200/18,400 (i)
F-350 SuperCab 2WD	7.3L V-8	22,000/22,200 (l)
F-350 SuperCab 4WD	6.2L V-8	17,600/17,800 (l)
F-350 SuperCab 4WD	6.7L V-8 TD	31,400/31,600 (h)
F-350 SuperCab 4WD	6.7L V-8 TD	35,000/35,500 (k)
F-350 SuperCab 4WD	7.3L V-8	17,800/18,000 (j)
F-350 SuperCab 4WD	7.3L V-8	21,600/21,800 (l)
F-350 Crew Cab 2WD	6.8L V-8	17,800/18,000 (l)
F-350 Crew Cab 2WD	6.7L V-8 TD	31,700/31,800 (h)
F-350 Crew Cab 2WD	6.7L V-8 TD	35,000/35,700 (k)
F-350 Crew Cab 2WD	7.3L V-8	18,000/18,200 (i)
F-350 Crew Cab 2WD	7.3L V-8	21,800/22,000 (l)
F-450 Crew Cab 2WD	6.7L V-8 TD	34,000/34,700 (l)
F-350 Crew Cab 4WD	6.8L V-8	17,400/17,500 (l)
F-350 Crew Cab 4WD	6.7L V-8 TD	31,700/31,800 (h)
F-350 Crew Cab 4WD	6.7L V-8 TD	34,800/35,800 (k)
F-350 Crew Cab 4WD	7.3L V-8	17,600/17,700 (i)
F-350 Crew Cab 4WD	7.3L V-8	21,400/21,500 (l)
F-450 Crew Cab 4WD	6.7L V-8 TD	32,000/33,000 (l)

MANUFACTURER'S NOTE (1): Combined weight of vehicle and trailer cannot exceed listed GCWR.

MANUFACTURER'S NOTE (2): Do not exceed the Maximum Loaded Trailer Weight listed.

Ranger

All	2.3L I-4 TC	3,500
All	2.3L I-4 TC	7,500 (t)

Transit Cargo Van, 150/250/350

Transit RWB LR RWD	3.5L V-6	5,300 (i)
Transit RWB LR RWD	3.5L V-6	6,400 (k)
Transit RWB LR RWD	3.5L V-6 TC	6,900 (i)
Transit RWB LR AWD	3.5L V-6	5,100 (i)
Transit RWB LR AWD	3.5L V-6	6,200 (k)
Transit RWB LR AWD	3.5L V-6 TC	6,700 (i)
Transit RWB MR RWD	3.5L V-6	5,100 (i)
Transit RWB MR RWD	3.5L V-6	6,200 (k)
Transit RWB MR RWD	3.5L V-6 TC	6,700 (i)
Transit RWB MR AWD	3.5L V-6	4,900 (i)
Transit RWB MR AWD	3.5L V-6	6,000 (k)
Transit RWB MR AWD	3.5L V-6 TC	6,500 (i)
Transit LWB LR RWD	3.5L V-6	5,100 (i)
Transit LWB LR RWD	3.5L V-6	6,200 (k)
Transit LWB LR RWD	3.5L V-6 TC	6,800 (i)
Transit LWB LR AWD	3.5L V-6	4,900 (i)
Transit LWB LR AWD	3.5L V-6	6,000 (k)
Transit LWB LR AWD	3.5L V-6 TC	6,600 (i)
Transit LWB MR RWD	3.5L V-6	5,000 (i)
Transit LWB MR RWD	3.5L V-6	6,100 (k)

Transit LWB MR RWD	3.5L V-6 TC	6,600 (i)
Transit LWB MR AWD	3.5L V-6	4,800 (i)
Transit LWB MR AWD	3.5L V-6	5,900 (k)
Transit LWB MR AWD	3.5L V-6 TC	6,400 (i)
Transit LWB HR RWD	3.5L V-6	4,900 (i)
Transit LWB HR RWD	3.5L V-6	6,000 (k)
Transit LWB HR RWD	3.5L V-6 TC	6,500 (i)
Transit LWB HR AWD	3.5L V-6	4,700 (i)
Transit LWB HR AWD	3.5L V-6	5,800 (k)
Transit LWB HR AWD	3.5L V-6 TC	6,300 (i)
Transit LWB HR AWD	3.5L V-6	5,800 (k)
Transit LWB HR DRW Ext RWD	3.5L V-6	5,600 (k)
Transit LWB HR DRW Ext RWD	3.5L V-6 TC	6,300 (i)
Transit LWB HR DRW Ext AWD	3.5L V-6	5,400 (k)
Transit LWB HR DRW Ext AWD	3.5L V-6 TC	6,300 (i)
Transit LWB HR Ext RWD	3.5L V-6	5,800 (k)
Transit LWB HR Ext RWD	3.5L V-6 TC	6,300 (i)
Transit LWB HR Ext AWD	3.5L V-6	4,700 (i)
Transit LWB HR Ext AWD	3.5L V-6	5,800 (k)
Transit LWB HR Ext AWD	3.5L V-6 TC	6,300 (i)

Transit Crew Van, 150/250/350

Transit RWB LR RWD	3.5L V-6	4,900 (i)
Transit RWB LR RWD	3.5L V-6	6,000 (k)
Transit RWB LR RWD	3.5L V-6 TC	6,500 (i)
Transit RWB LR AWD	3.5L V-6	4,700 (i)
Transit RWB LR AWD	3.5L V-6	5,800 (k)
Transit RWB LR AWD	3.5L V-6 TC	6,300 (i)
Transit RWB MR RWD	3.5L V-6	4,800 (i)
Transit RWB MR RWD	3.5L V-6	5,900 (k)
Transit RWB MR RWD	3.5L V-6 TC	6,400 (i)
Transit RWB MR AWD	3.5L V-6	4,600 (i)
Transit RWB MR AWD	3.5L V-6	5,700 (k)
Transit RWB MR AWD	3.5L V-6 TC	6,200 (i)
Transit LWB LR RWD	3.5L V-6	4,800 (i)
Transit LWB LR RWD	3.5L V-6	5,900 (k)
Transit LWB LR RWD	3.5L V-6 TC	6,500 (i)*
Transit LWB LR AWD	3.5L V-6	4,600 (i)
Transit LWB LR AWD	3.5L V-6	5,700 (k)
Transit LWB LR AWD	3.5L V-6 TC	6,200 (i)
Transit LWB MR RWD	3.5L V-6	4,700 (i)
Transit LWB MR RWD	3.5L V-6	5,800 (k)
Transit LWB MR AWD	3.5L V-6	4,500 (i)
Transit LWB MR AWD	3.5L V-6	5,600 (k)
Transit LWB MR AWD	3.5L V-6 TC	6,100 (i)
Transit 150/250 LWB HR RWD	3.5L V-6	4,600 (i)
Transit 150/250 LWB HR RWD	3.5L V-6	5,700 (k)
Transit 150/250 LWB HR RWD	3.5L V-6 TC	6,200 (i)
Transit 150/250 LWB HR AWD	3.5L V-6	4,400 (i)
Transit 150/250 LWB HR AWD	3.5L V-6	5,500 (k)
Transit 150/250 LWB HR AWD	3.5L V-6 TC	6,000 (i)
Transit 350 LWB HR RWD	3.5L V-6	4,600 (i)
Transit 350 LWB HR RWD	3.5L V-6	5,700 (k)
Transit 350HD LWB RWD DRW	3.5L V-6	6,200 (k)

Transit 350 LWB HR AWD	3.5L V-6	4,400 (i)
Transit 350 LWB HR AWD	3.5L V-6	5,500 (k)
Transit 350 LWB HR AWD	3.5L V-6 TC	6,000 (i)
Transit 350 HR Ext RWD	3.5L V-6	5,300 (k)
Transit 350 HR Ext RWD	3.5L V-6 TC	6,200 (i)
Transit 350 HR Ext AWD	3.5L V-6	5,000 (k)
Transit 350 HR Ext AWD	3.5L V-6 TC	6,000 (i)

*6,400 for 250 model only.

Transit Passenger Van, 150/350

Transit 150 RWB LR AWD	3.5L V-6	4,400 (i)
Transit 150 RWD MR AWD	03.5L V-6	4,200 (i)
Transit 350 LWB LR RWD	3.5L V-6	4,200 (i)
Transit 350 LWB LR RWD	3.5L V-6	4,500 (k)
Transit 350 LWB LR RWD	3.5L V-6 TC	4,400 (i)
Transit 350 LWB LR AWD	3.5L V-6	4,000 (i)
Transit 350 LWB LR AWD	3.5L V-6	4,300 (k)
Transit 350 LWB LR AWD	3.5L V-6 TC	4,200 (i)
Transit 350 LWB MR RWD	3.5L V-6	4,100 (i)
Transit 350 LWB MR RWD	3.5L V-6	4,400 (k)
Transit 350 LWB MR RWD	3.5L V-6 TC	4,300 (i)
Transit 350 LWB MR AWD	3.5L V-6	3,900 (i)
Transit 350 LWB MR AWD	3.5L V-6	4,200 (k)
Transit 350 LWB MR AWD	3.5L V-6 TC	4,100 (i)
Transit 350 LWB HR RWD	3.5L V-6	3,900 (i)
Transit 350 LWB HR RWD	3.5L V-6	4,200 (k)
Transit 350 LWB HR RWD	3.5L V-6 TC	4,200 (i)
Transit 350 LWB HR AWD	3.5L V-6	3,700 (i)
Transit 350 LWB HR AWD	3.5L V-6	4,000 (k)
Transit 350 LWB HR AWD	3.5L V-6 TC	4,000 (i)
Transit 350 HR Ext RWD	3.5L V-6	3,700 (k)
Transit 350 HR Ext RWD	3.5L V-6 TC	3,600 (i)
Transit 350 HR Ext AWD	3.5L V-6 TC	3,400 (i)
Transit Connect Van/Wagon	2.0L I-4	2,000 (t)

GENESIS

GV70	All	3,500 (t)
GV80	All	6,000 (t)

HONDA

Odyssey	3.5L V-6	3,500 (t)
Passport AWD	3.5L V-6	5,000 (t)
Pilot 2WD/AWD	3.5L V-6	5,000 (t)
Ridgeline	3.5L V-6	5,000 (t)

HYUNDAI

Ioniq 5	Electric	2,300 (t)
Palisade	3.8L V-6	5,000 (t)
Santa Fe	1.6L TC, 2.5L I-4	2,000 (t)
Santa Fe	2.0L TC, 2.5L I-4 TC	3,500 (t)
Tucson	All	2,000 (t)
Santa Cruz FWD	2.5L I-4 TC	3,500 (t)
Santa Cruz AWD	2.5L I-4 TC	5,000 (t)

INFINITI

QX50 AWD	2.0L I-4 TC	3,000 (t)
QX55 AWD	2.0L I-4 TC	3,000 (t)
QX60	3.5L V-6	6,000 (t)
QX80	5.6L V-8	8,500

KIA

Carnival	2.5L TC	3,500
Sorento	2.5L TC	3,500 (t)
Sportage FWD/AWD	2.5L I-4	2,500 (t)
Telluride	3.8L V-6	5,000

LAND ROVER

Land Rover Defender	2.0L I-4 TC	7,716
Land Rover Defender	3.0L I-6 TC	8,201
Land Rover Discovery	2.0L I-4 TC	5,952
Land Rover Discovery	3.0L I-6 TC	8,200
Range Rover	3.0L I-6 TC	7,716
Range Rover Hybrid	3.0L I-6 TC	5,511
Range Rover	4.4L V-8 TC	8,200
Range Rover Evoque	2.0L I-4 TC	3,968
Range Rover Sport	3.0L V-6 TC	7,716
Range Rover Sport	3.0L I-6	7,716
Range Rover Sport Hybrid	3.0L I-6 TC	6,613
Range Rover Velar	2.0L I-4 TC	5,291
Range Rover Velar	3.0L V-6 TC	5,511

LEXUS

NX 350	2.4L I-4 TC	2,000
RX 350	3.5L V-6	3,500 (t)
RX 350, 350h, 400h	2.4L I-4 TC	3,494 (t)
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	8,000

LINCOLN

Aviator RWD/AWD	3.5L V-6 TC	5,600 (t)
Aviator AWD	3.5L V-6 TC	6,700 (t)
Aviator Grand Touring Hybrid	3.5L V-6 TC	5,600 (t)
Corsair	All	3,000 (t)
Nautilus	All	3,500 (t)
Navigator 2WD	3.5L V-6 TC	8,700 (t)
Navigator 4WD	3.5L V-6 TC	8,300 (t)
Navigator L 2WD	3.5L V-6 TC	8,400 (t)
Navigator L 4WD	3.5L V-6 TC	8,100 (t)

MAZDA

CX-5	2.5L I-4	2,000
CX-5	2.5L I-4 TC	2,000
CX-9	2.5L I-4 TC	3,500

MERCEDES-BENZ

GLC Coupe	All	3,500
GLC SUV	All	3,500
GLE Coupe AMG	All	7,700

GLE SUV AMG	All	7,700
GLE 350 SUV RWD	2.0L I-4 TC	5,960
GLE 350 4Matic SUV AWD	All	7,700
GLS SUV	All	7,700
G-Class SUV	All	7,000
Sprinter SRW (all)	All	5,000*
Sprinter DRW (all)	All	7,500*

*Maximum tow ratings shown. See dealer to determine the tow rating of a specific model/configuration.

MITSUBISHI		
Outlander 2WD/4WD	2.5L V-6	2,000

NISSAN		
Armada	5.6L V-8	8,500
Frontier S CC 2WD	3.8L V-6	6,570
Frontier S KC 2WD	3.8L V-6	6,720
Frontier SV CC 2WD	3.8L V-6	6,530
Frontier SV KC 2WD	3.8L V-6	6,670
Frontier SV CC LWB 2WD	3.8L V-6	6,460
Frontier S CC 4WD	3.8L V-6	6,370
Frontier S KC 4WD	3.8L V-6	6,510
Frontier SV CC 4WD	3.8L V-6	6,330
Frontier SV CC LWB 4WD	3.8L V-6	6,260
Frontier SV KC 4WD	3.8L V-6	6,470
Frontier Pro-X CC 4WD	3.8L V-6	6,470

Frontier Pro-4X CC 4WD	3.8L V-6	6,270
Pathfinder	3.5L V-6	6,000 (t)
Titan King Cab 2WD	5.6L V-8	9,320
Titan King Cab 4WD	5.6L V-8	9,200
Titan Crew Cab 2WD	5.6L V-8	9,317
Titan Crew Cab 4WD	5.6L V-8	9,167

NOTE: Maximum ratings shown. Ratings may vary depending on the specific model and equipment selected. See dealer for details.

POLESTAR		
Polestar 2	Electric	3,306
Polestar 3	Electric	4,850

PORSCHE		
Cayenne	All	7,700
Macan	All	4,409

RIVIAN		
R1T	Quad-Motor EV	11,000
R1S	Quad-Motor EV	7,700

SUBARU		
Ascent	2.4L 4-cyl TC	2,000
Ascent	2.4L 4-cyl TC	5,000 (t)
Outback	2.5L 4-cyl	2,700
Outback XT, Wilderness	2.4L 4-cyl TC	3,500

WE ARE PRO CLASS



WWW.NORTHWOODMFG.COM

TESLA		
Cybertruck RWD	Single Motor	7,500+
Cybertruck AWD	Dual Motor	10,000+
Cybertruck AWD	Tri Motor	14,000+

TOYOTA		
4Runner (all)	4.0L V-6	5,000
Highlander	3.5L V-6	5,000
Highlander Hybrid	3.5L V-6	3,500
Sienna	3.5L V-6	3,500
Sequoia Double Cab 2WD	5.7L V-8	11,400
Sequoia CrewMax 2WD	5.7L V-8	11,350
Sequoia Double Cab 4WD	5.7L V-8	11,200
Sequoia CrewMax 4WD	5.7L V-8	11,110
Sequoia TRD Sport 2WD	5.7L V-8	7,400
Sequoia TRD Sport 4WD	5.7L V-8	7,100
Sequoia Limited 2WD	5.7L V-8	7,400
Sequoia Limited 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum 4WD	5.7L V-8	7,000
Sequoia TRD Pro (4WD only)	5.7L V-8	7,100

Tacoma

Tacoma Access Cab 2WD	2.7L I-4	3,500
Tacoma Access Cab 2WD	3.5L V-6	6,800 (t)

Tacoma Access Cab 4WD	2.7L I-4	3,500
Tacoma Access Cab 4WD	3.5L V-6	6,500 (t)
Tacoma Double Cab 2WD	2.7L I-4	3,500
Tacoma Double Cab SB 2WD	3.5L V-6	6,700 (t)
Tacoma Double Cab LB 2WD	3.5L V-6	6,600 (t)
Tacoma Double Cab 4WD	3.5L V-6	6,400 (t)

Tundra

Tundra Double Cab 2WD	5.7L V-8	12,000
Tundra Double Cab 4WD	5.7L V-8	11,200
Tundra CrewMax 2WD	5.7L V-8	11,450
Tundra CrewMax 4WD	5.7L V-8	11,117

NOTE: Maximum ratings shown. Ratings may vary depending on the specific model and equipment selected. See dealer for details.

VOLKSWAGEN		
Atlas	2.0L I-4 TC	2,000
Atlas	3.6L V-6	5,000 (t)

VOLVO		
S60	All	2,000
S90	All	2,000
V60	All	2,000
V90 T6 AWD	All	3,500
XC60	All	3,500
XC90 AWD	All	5,000



ESCAPE INTO YOUR NEXT ADVENTURE



RVibreak 3
portable braking system



RVibreak SHADOW
installed braking system

Choose your braking system for flat towing and get instant braking assistance, a simple setup, and protection for your family.

800-815-2159 | shoprvi.com

