MAKE/MODEL	BASE CURB Weight LBS.	SPEED/DISTANCE LIMITS	TOWABLE W/ Manual Trans.	TOWABLE W/ AUTO TRANS.	MILEAGE CITY/HWY.	APPROX. RETAIL PRICE RANGE
BUICK						
Encore GX AWD	3,258	70 mph/None	N/A	Yes	TBD	\$25,900-\$32,100

Manufacturer's Instructions: Disconnect the negative battery cable at the battery and secure the nut and bolt. Cover the negative battery post with nonconductive material to prevent contact with the negative battery terminal. Use of a shield mounted in front of the vehicle grille could restrict airflow and cause damage to the transmission.

CADILLAC

Escalade/Escalade ESV 4WD 5,823/5,993 N/A None Yes 14/26 \$79,000-\$167,585

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have a N (neutral) and a 4N setting. Set the parking brake before shifting the transfer case to N (neutral). Turn off the engine, place the vehicle in ACC/ACCESSORY mode by pressing the start button without stepping on the brake pedal, release the parking brake, take the mechanical key with you for re-entry, disconnect the negative battery cable at the battery and secure the nut and bolt, cover the negative battery post with a nonconductive material to prevent any contact with the negative battery terminal, move the steering wheel to make sure the steering column is unlocked. See the owner's manual for additional details.

CHEVROLET

Colorado 4WD 4.520 None N/A Yes 17/24 \$29.200-\$46.800

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have a neutral position and a four-wheel-drive Low setting. Shift the transfer case to N (neutral). Negative battery cable must be disconnected and covered with nonconductive material. Keep the ignition in the ACC/ACCESSORY to prevent the steering column from locking. Shift the transmission to Park.

Equinox FWD/AWD 3,274 65 mph/None N/A Yes TBD \$26,300-\$33,100

Manufacturer's Instructions: For vehicles being dinghy towed, the vehicle should be run at the beginning of each day and at each RV fuel stop for about five minutes. This will ensure proper lubrication of transmission components. If equipped with AWD, engage the AWD system and confirm that it is on. Shift the transmission to N (neutral). Put the vehicle into ACC/ACCESSORY by pressing ENGINE START/STOP one time without the brake pedal applied. An amber light will appear in the button when in ACC/ACCESSORY mode. The chime will ring continuously for 30 minutes. Leave the transmission in N (neutral). Turn off all accessories that are not needed.

Silverado 1500 4WD 4,630 None N/A Yes 2.7L 4WD: 18/21 \$40,200—\$70,100 5.3L 4WD: 16/20

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disregard the Shift to P (park) DIC message. Disconnect and cover the negative battery post and cable with nonconductive material. If the battery is left connected or the battery cable contacts the post, the Electric Parking Brake may activate during towing, which could cause a crash. Shift the transmission to P (park).

Silverado 2500 HD 4WD 6,551 None N/A Yes TBD \$47,500-\$68,700

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disregard the Shift to P (park) DIC message. Disconnect the negative battery cable and cover negative battery post with nonconductive material. If the battery is left connected or the battery cable contacts the post, the Electric Parking Brake may activate during towing, which could cause a crash. Shift the transmission to P (park).

Silverado 3500 HD 4WD 6,672 None N/A Yes TBD \$44,500-\$71,100

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disregard the Shift to P (park) DIC message. Disconnect the negative battery cable and cover negative battery post with nonconductive material. If the battery is left connected or the battery cable contacts the post, the Electric Parking Brake may activate during towing, which could cause a crash. Shift the transmission to P (park).

Suburban 4WD 5,824 None N/A Yes TBD \$56,600-\$80,100

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles that have an N (neutral) and a four-wheel-drive Low setting. With the transmission in D (drive), turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disconnect the negative battery cable and cover post with nonconductive material. Shift the transmission to P (park).

MAKE/MODEL	BASE CURB WEIGHT LBS.	SPEED/DISTANCE LIMITS	TOWABLE W/ Manual Trans.	TOWABLE W/ AUTO TRANS.	MILEAGE CITY/HWY.	APPROX. RETAIL PRICE RANGE
Tahoe 4WD	5,661	None	N/A	Yes	TBD	\$53,900-\$77,400
Manufacturer's Instructions: Only of transmission in D (drive), turn the igr battery cable and cover post with no	nition to ACC/ACC	CESSORY. If equip	ped with Keyless	Access, turn the		
Trailblazer AWD	TBD	65 mph/None	N/A	Yes	26/30	\$21,800-\$27,400
Traverse FWD	TBD	65 mph/None	N/A	Yes	18/27	\$34,520-\$53,900
Manufacturer's Instructions: Remo and hold the manual release button the beginning of each day and at eac the destination is reached, reinstall t	on the rear right. h RV fuel stop fo	Put the vehicle in about five minu	n N (neutral). For v ites. This will ensu	ehicles being ding ire proper lubricat	ghy towed, the v tion of transmiss	ehicle should be run a sion components. Onc
DODGE						
Durango AWD	4,884	None	N/A	Yes	18/25	TBD
Manufacturer's Instructions: AWD (case must be set to N (neutral).	mouels with two	J-Speed transter	case only (not ava	uiavie iii v-6 M00	ieisj. iransmissio	эн III P (рагк), transfer
Bronco/Bronco Raptor	4.294	None	Yes	Yes	17/21	\$32,295-\$73,780
Manufacturer's Instructions: Place owner's manual to follow procedure		e in the N (neutra	l) tow position to	engage the four-	wheel-down tov	ving feature—refer to
Edge ST	4,525	65 mph/None	N/A	Yes	TBD	\$44,595 base
Manufacturer's Instructions: Intellig for five minutes at the beginning of e follow procedures.						
Escape Hybrid	3,534	70 mph/None	N/A	Yes	44/37	\$32,340 base
Manufacturer's Instructions: Select Start the engine and allow it to run fo						o follow procedures.
Escape Plug-In Hybrid	3,870	70 mph/None	N/A	Yes	N/A	\$38,500 base
Manufacturer's Instructions: Select Start the engine and allow it to run fo						o follow procedures.
Expedition/Expedition MAX 4WD	5,532/5,668	None	N/A	Yes	TBD	\$55,955-\$84,670
Manufacturer's Instructions: Requi down towing feature—refer to own			e the transfer cas	se in the N (neutra	al) position to en	gage the four-wheel-
F-150 4WD	4,275	None	N/A	Yes	16/27	\$39,600-\$84,910
Manufacturer's Instructions: Place owner's manual to follow procedure		e in the N (neutra	l) tow position to	engage the four-	wheel-down tov	ving feature—refer to
F-250/F-350/F-450 Super Duty 4WD	6,112	None	N/A	Yes	N/A	TBD
Manufacturer's Instructions: Place owner's manual to follow procedure		e in the N (neutra	l) tow position to	engage the four-	wheel-down tov	ving feature—refer to
Maverick Hybrid	3,674	None	N/A	Yes	42/33	\$22,195-\$27,955
Manufacturer's Instructions: Recre the front wheels on a two-wheel do towing is possible, but there are spe	ational flat towir lly, while all-whe	ng is possible with			eel-drive EcoBoo	st models must have

MAKE/MODEL	BASE CURB	SPEED/DISTANCE	TOWABLE	TOWABLE	MILEAGE	APPROX. RETAIL
	WEIGHT LBS.	LIMITS	W/ MANUAL TRANS.	W/ AUTO TRANS.	CITY/HWY.	PRICE RANGE
Ranger 4WD	4,354	None	N/A	Yes	20/24	\$30,045-\$39,945

Manufacturer's Instructions: Place the transfer case in the N (neutral) tow position to engage the four-wheel-down towing feature—refer to owner's manual to follow procedure.

GMC

Canyon/Canyon Denali 4WD 4,630 None N/A Yes 19/28 TBD

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have a N (neutral) position and a four-wheel-drive Low setting. Shift the transfer case to N (neutral). Negative battery cable must be disconnected and covered with nonconductive material. Keep the ignition in the ACC/ACCESSORY to prevent the steering column from locking. Shift the transmission to P (park).

Sierra/Sierra Denali 1500 4WD 4,980 None N/A Yes 18/20 \$43,595 base

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) position and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disconnect the negative battery cable and cover post/cable with nonconductive material.

Sierra/Sierra Denali 2500 HD 4WD 6,824 None N/A Yes N/A \$44,000 base

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disregard the Shift to P (park) DIC message. Disconnect the negative battery cable and cover cable/post with nonconductive material. If the battery is left connected or the battery cable contacts the post, the Electric Parking Brake may activate during towing, which could cause a crash. Shift the transmission to P (park).

Sierra/Sierra Denali 3500 HD 4WD 6,947 None N/A Yes N/A TBD

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles with a two-speed transfer case that have an N (neutral) and a four-wheel-drive Low setting. If equipped with an ignition key, turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disregard the Shift to P (park) DIC message. Disconnect the negative battery cable and cover cable/post with nonconductive material. If the battery is left connected or the battery cable contacts the post, the Electric Parking Brake may activate during towing, which could cause a crash. Shift the transmission to P (park).

 Yukon/Yukon Denali, Yukon XL/
 5,677
 None
 N/A
 Yes
 14/26
 \$60,400 base

 Yukon XL Denali 4WD

Manufacturer's Instructions: Only dinghy tow four-wheel-drive vehicles that have an N (neutral) and a four-wheel-drive Low setting. With the transmission in D (drive), turn the ignition to ACC/ACCESSORY. If equipped with Keyless Access, turn the engine off. Disconnect the negative battery cable and cover negative battery post with nonconductive material.

JEEP

Cherokee 4WD (Active Drive II) 3,960 None N/A Yes 20/27 \$41,000 base

Manufacturer's Instructions: Only 4x4 models with two-speed Power Transfer Unit (Active Drive II) may be towed. Transmission in P (park), Power Transfer Unit in N (neutral). Ensure that the Auto Park Brake feature is disabled before towing to avoid inadvertent Electric Park Brake engagement. See the owner's manual for additional details.

Gladiator 4,672 None Yes Yes 3.6L: 17/22 \$38,775-\$54,080 3.0L Diesel: 22/28

Manufacturer's Instructions: Automatic transmission in P (park). Manual transmission in gear (NOT IN NEUTRAL). Transfer case in N (neutral). Tow in forward direction.

Grand Cherokee 4WD/L/4xe 4,365 None N/A Yes 3.6L: 19/26 \$43,325-\$77,570 5.7L: 14/22

Manufacturer's Instructions: Only Quadra-Trac II and Quadra-Drive II four-wheel-drive models can be towed. Transmission in P (park), transfer case in N (neutral). Tow in forward direction. Ensure vehicle is set to Normal Ride Height—if equipped.

MAKE/MODEL	BASE CURB WEIGHT LBS.	SPEED/DISTANCE LIMITS	TOWABLE W/ Manual Trans.	TOWABLE W/ AUTO TRANS.	MILEAGE CITY/HWY.	APPROX. RETAIL PRICE RANGE
Wrangler	3,919	None	Yes	Yes	3.6L: 18/23 2.0L: 22/24	\$31,195
Manufacturer's Instructions: Auton	natic transmissi	on in P (park). Mai	nual transmission	in gear (NOT IN N		fer case in N (neutral)
Wrangler Unlimited	4,167	None	Yes	Yes	3.6L: 17/25 2.0L: 21/24 3.0L Diesel: 22/29	\$35,195-\$54,720
Manufacturer's Instructions: Auton	natic transmissi	on in P (park). Maı	nual transmission	in gear (NOT IN N	NEUTRAL). Trans	fer case in N (neutral
Wrangler Unlimited 4xe Plug-In Hybrid	5,100	None	N/A	Yes	49/20	\$54,735-\$62,620
Manufacturer's Instructions: Auton	natic transmissi	on in P (park). Trar	nsfer case in N (ne	eutral).		
Wrangler Unlimited Rubicon 392 Manufacturer's Instructions: Auton	5,098	None	N/A	Yes	13/17	\$82,495 base
KIA Soul FWD Manufacturer's Instructions: Only n	4,545	65 mph/None	N/A	Yes	21/29	\$24,685-\$25,702
maximum towing capacity of the recevel, parking brake released, gearsh						
LINCOLN Corsair Grand Touring Plug-In Hybrid	3,702	70 mph/None	N/A	Yes	TBD	\$54,580 base
Manufacturer's Instructions: Select Start the engine and allow it to run for	or one minute a	t the beginning of	each day and eve	ry six hours there	eafter.	,
Nautilus Manufacturer's Instructions: Only 2	4,545	65 mph/None	N/A	Yes	TBD	\$57,430 base
beginning of each day and every six						
Navigator 4x4	5,855					
	5,655	None	N/A	Yes	TBD	\$84,420 base
transfer case in N (neutral). Refer to	e equipped with	optional Heavy-[Outy Trailer Tow P			
transfer case in N (neutral). Refer to	e equipped with owner's manua	optional Heavy-[I to follow procedu	Outy Trailer Tow Paure.	ackage and two-	speed transfer c	ase only. Shift the
transfer case in N (neutral). Refer to N I S S R N Versa S Manufacturer's Instructions: Alway the transmission in N (neutral) for tw	e equipped with owner's manua 2,650 s tow with the l	optional Heavy-[I to follow procedu None/500 miles	Outy Trailer Tow Poure. Yes	ackage and two-	speed transfer c 27/35	ase only. Shift the \$15,730 base
transfer case in N (neutral). Refer to NISSAN VersaS Manufacturer's Instructions: Alway the transmission in N (neutral) for tw	2,650 s tow with the law on minutes.	n optional Heavy-[I to follow procedu None/500 miles manual transmiss	Outy Trailer Tow Poure. Yes ion in N (neutral).	ackage and two-	speed transfer c 27/35 miles, start and	sase only. Shift the \$15,730 base idle the engine with
transfer case in N (neutral). Refer to N I S S A N Versa S Manufacturer's Instructions: Alway the transmission in N (neutral) for tw R A M 1500 4WD Manufacturer's Instructions: Auton	2,650 /s tow with the ray on minutes.	n optional Heavy-I I to follow procedu None/500 miles manual transmiss	Outy Trailer Tow Poure. Yes Sion in N (neutral).	No After towing 500 Yes	27/35 O miles, start and 20/25	\$15,730 base idle the engine with
Versa S Manufacturer's Instructions: Alway the transmission in N (neutral) for tw	2,650 /s tow with the ray on minutes.	n optional Heavy-I I to follow procedu None/500 miles manual transmiss	Outy Trailer Tow Poure. Yes Sion in N (neutral).	No After towing 500 Yes	27/35 O miles, start and 20/25	\$15,730 base idle the engine with
transfer case in N (neutral). Refer to N I S S A N Versa S Manufacturer's Instructions: Alway the transmission in N (neutral) for tw R A M 1500 4WD Manufacturer's Instructions: Auton for details.	2,650 ys tow with the revo minutes. 4,994 matic transmissi	n optional Heavy-I I to follow procedu None/500 miles manual transmiss None on in P (park). Tran	Outy Trailer Tow Poure. Yes ion in N (neutral). N/A nsfer case in N (ne	No After towing 500 Yes eutral). Tow in a fo	27/35 0 miles, start and 20/25 orward direction.	\$15,730 base idle the engine with \$41,210 base
transfer case in N (neutral). Refer to N I S S R N Versa S Manufacturer's Instructions: Alway the transmission in N (neutral) for tw R R M 1500 4WD Manufacturer's Instructions: Auton for details.	2,650 ys tow with the revo minutes. 4,994 matic transmissi	n optional Heavy-I I to follow procedu None/500 miles manual transmiss None on in P (park). Tran	Outy Trailer Tow Poure. Yes ion in N (neutral). N/A nsfer case in N (ne	No After towing 500 Yes eutral). Tow in a fo	27/35 0 miles, start and 20/25 orward direction.	\$15,730 base idle the engine with \$41,210 base